Index of Claims

Application/Control No.

10/520,580

Examiner

L. E. Crane

Applicant(s)/Patent under Reexamination

D'OOSTERLYNCK ET AL.

Art Unit

1623

√	Rejected
1	Allowed

(Through numeral) Cancelled Restricted

Non-Elected N Interference

Appeal Α 0 Objected

Cla	im	-		Date	fra :	Cla	im		Date			Cli	aim			Date			
Final	Original	20/9/8	1/30/08			Final	Original					Final	Original						
1	1	7	=				51						101						
2	2	7	=				52				1		102	$\perp \perp$		\sqcup			Ш
3	3	1	=				53				p.		103	$\bot \bot$	-	\sqcup	\perp		Ш
4	4	1	=				54	$\perp \downarrow \perp$		$oldsymbol{ol}}}}}}}}}}}}}}}}}$			104	44		\sqcup		4_	\square
5	5	1	=				55			1	1		105	1	\perp	\sqcup	_		Ш
-0	6	1					56		\bot	$\perp \perp$	\$71		106	$\perp \downarrow$		1		_	Н
-0	7	1					57	\perp					107	++		-	_	+	Н
-0	8	1	-				58		+++	+			108		+	\vdash	_		H
-0	9	1			4		59			++			109	++		+		-	+
-0	10	1	H		-		60	++		 			110	++	-	+		+	Н
-0 -0	11 12	7	Н	 	+		61 62			+-			112	++	+	+	+	+-	+
6	13	7	=	 	++		63		+	+			113	+-+	+-	╁╌┼		╁	H
-0	14	1	H	 	++104		64	++	+++	+ +			114	++	+	+	+	+	+
-0	15	7	-		Hali		65			 	in the		115	++	+	+	-+	+	H
-0	16	1	\vdash	- 			66	- - 	++-	++			116	++	+	+	+	+	H
-0	17	7	$\vdash \vdash$	 			67	++	+++	++-			117	++	+	+ 1	\dashv	+	+
7	18	1	=	 	++1,3		68		 	+			118	+++	+-	+	+	+	+
-0	19	1	H		+-13	-+	69			 			119	++	+	+	\dashv	+	+
-0	20	1	Н				70	++	+++				120	+	+	╁┼	\dashv	+	Н
-0	21	1	Н			-	71		+++		Œ.		121	++	+	╁	\dashv	+	Н
-0	22	1					72		+++		벬		122	++	+	\Box	\vdash	+	\forall
-0	23	1					73	++	+++-	+ +-	46.16		123	+	+	+	_	+	+
-0	24	Ť					74	++	111		SP. a		124	++	+	\vdash	一	+	+
-0	25						75		111	1	1		125	 	\top	1		\top	\vdash
8	26		=				76	11	111	1 1-			126	+++		1 1		1	\forall
9	27		=		- Int.		77		111	+	\$1		127	+++	\dashv	1-1			\vdash
10	28		=				78		111.				128	++	\top	1	十	1	\forall
11	29		=				79	_ _ _		\top			129	11	$\neg \vdash$	1 1			\Box
12	30	_	=				80				100 j		130	\top	╅	$\dagger \dagger$		1	T
	31				127		81				Pag Sal		131		\top	\Box	一		\Box
	32						82						132						Ħ
	33						83						133	\top					П
	34						84						134						\square
	35						85				,		135					$oxed{T}$	
	36						86						136					Ι	
	37						87				j., j		137			$\Box \Box$			
	38						88						138					Ι	
	39						89						139					floor	
	40				1, 14		90						140	\coprod			\Box		
oxdot	41						91	\bot					141	$oldsymbol{\square}$			$oxed{oxed}$		
ш	42		\square				92				Б.		142			$oxed{\Box}$	$\perp \Gamma$		
	43		Ш				93						143					\perp	Ш
oxdot	44				nthis at fail		94				100		144	\perp	\perp		Ш.		\sqcup
ш	45		Щ				95	$\bot \bot$	444		, 14 Webs		145	$\bot \bot$		$\perp \perp$	\perp	\perp	$\perp \perp$
igsqcup	46		Ш		7		96	$\bot\bot$	$\bot\bot\bot$	$\perp \perp$			146	+	\bot	\perp	\perp		\coprod
igsqcut	47		Ш				97	$\bot\bot$	444	1 1 -	+		147	4-4	\bot	\sqcup			\sqcup
igsqcut	48		Ш	- - - -			98	$\dashv \perp$	+++	 - - - - - - - 	-		148	44	\perp	\sqcup	_	4-	Щ
	49						99	++		 			149	- -		$\bot \bot$	4	\perp	$\perp \perp$
	50				┸┚╣		100			<u> </u>	J [150			Ш	_ _	⊥	Ш